

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

Wholesale Trade List

Lining Out Stock

Grower of

Evergreens, Flowering Shrubs, and
Trees, Deciduous Trees
and Vines



HOGANSVILLE NURSERIES

HOGANSVILLE, GEORGIA

JNO. WILKINSON, Proprietor



IT'S NOT A HOME UNTIL IT'S PLANTED

CONTENTS

Lining Out Coniferous Evergreens.
Lining Out Broad-Leaved Evergreens.
Lining Out Deciduous Shrubs and Trees.
Lining Out Vines.

TERMS OF SALE—Cash with order, except to persons who satisfy us as to their responsibility. Remittances may be made by Bank Draft, Postal or Express Money Order or Certified Check.

SUBSTITUTION—The varieties you select are always sent unless you grant permission to substitute. If you wish a particular color, rather than a particular variety, many times it is to your advantage to mention the fact, as we may oftentimes improve upon your selection. Therefore, if a substitute is acceptable, be sure to advise us, as otherwise everything is shipped absolutely as ordered.

ORDER EARLY—Orders are filled in rotation. Ordering early will insure the reservation of varieties that later may be sold out, and save you any disappointment.

PACKING—All plants are carefully packed to prevent drying or freezing while in transit. All packing charges are included in catalogue list.

GUARANTEE—We guarantee all nursery stock furnished by us to be first-class and true to name. We exercise the greatest of care to have all our trees and plants true to name, well grown, packed in the very best possible manner and hold ourselves in readiness on proper proof to replace all trees and plants that may accidentally prove untrue to label, free of charge or refund the amount paid.

REFERENCES—Commercial Agencies
Reputable Nurserymen in the South

CONIFEROUS EVERGREENS

LINING OUT STOCK—NURSERY GROWN

Cedrus Deodara (S)	
4-6 in.....	7c
6-8 in.....	10c
Cedar of Lebanon (S)	
2-4 in.....	5c
4-6 in.....	7½c
Cryptomeria (C. Japonica) (S)	
4-6 in.....	5c
6-8 in.....	7½c
8-10 in.	10c
Cypress (Cupressus Arizonica) (S)	
4-6 in.....	2½c
6-8 in.....	5c
8-10 in.	7½c
Italian Cypress(Cupressus Sempervirens) (S)	
4-6 in.	3½c
6-8 in.....	5c
8-10 in.....	7½c
Columnar Italian Cypress (C. Pyramidalis) (S)	
4-6 in.....	5c
6-8 in.	7½c
Lawson Cypress (C. Lawsoniana) (S)	
4-6 in.....	5c
6-8 in.....	7½c
Junipers (Juniperus)	
Ashford Juniper (J. Communis Ashfordi) (C)	
6-8 in.....	8c
8-10 in.	10c
10-12 in.....	12c
English Juniper (J. Communis) (C)	
6-8 in.....	8c
8-10 in.	10c
10-12 in.....	12c
Swedish Juniper (J. Com. Succica) (C)	
6-8 in.....	8c
8-10 in.	10c
10-12 in.....	12c
Pfitzer Juniper (J. Chinensis Pfitzeriana) (C)	
4-6 in.....	12c
6-8 in.....	16c
8-10 in.	25c
Savin Juniper (J. Sabina) (C)	
4-6 in.....	12c
6-8 in.....	16c
Retinospora (Chamaecyparis)	
Argentea Retinospora (R. Pisifera Argentia) (C)	
2-4 in.....	8c
4-6 in.....	10c

Golden Plume Retinospora**(R. Pisifera plumosa aurea) (C)**

4-6 in.....	8c
6-8 in.....	10c
8-10 in.....	12c

Golden Sawara Retinospora**(R. Pisifera aurea) (C)**

6-8 in.....	10c
8-10 in.....	12c

Moss Retinospora**(R. Pisifera squarrosa vetchii) (C)**

4-6 in.....	8c
6-8 in.....	10c
8-10 in.....	12c

Hinoki Cypress (R. Obtusa) (S)

4-6 in.....	4c
6-8 in.....	5c
8-10 in.....	7½c

Libocedrus Decurrnes**(California Incense Cedar) (S)**

4-6 in.....	5c
6-8 in.....	10c

Spruce (Picea) (S)**Norway Spruce (P. Excelsa)**

2-4 in.....	2c
4-6 in.....	3c
6-8 in.....	5c

Arborvitae (Thuja)**Thuja Orientalis (S)**

4-6 in.....	3c
6-8 in.....	5c
8-10 in.....	7½c
10-14 in.....	10c

T. Orientalis Aurea Conspicua (T. Goldspire) (T)

4-6 in.....	8c
8-10 in.....	10c

T. Orientalis Compacta (S)

2-4 in.....	3c
4-6 in.....	5c
6-8 in.....	7c

Tom Thumb Arborvitae**(T. Occidentalis Ellwangeriana) (C)**

6-8 in.....	10c
-------------	-----

Berckman's Golden**(T. Orientalis Aurea Nana) (T)**

2-4 in.....	8c
4-6 in.....	10c
6-8 in.....	12c

American Globe (T. Occidentalis Globosa) (C)

4-6 in.....	10c
6-8 in.....	15c

American Pyramidal (T. Occidentalis Pyramidalis) (C)	
2-4 in.....	8c
4-6 in.....	10c
6-8 in.....	12c
Beverlyensis Arborvitae (T. Orientalis Meldensis) (C)	
4-6 in.....	10c
6-8 in.....	15c
Biota Rosedale (T. Orientalis Rosedale) (C)	
6-8 in.....	6c
8-10 in.....	8c
Bonita Arborvitae (T. Orientalis Bonita) (C)	
6-8 in.....	16c
Nana Daly—Green (T. Nana Daly) (C)	
4-6 in.....	12c
6-8 in.....	20c

Broad Leaved Evergreens

Abelia Grandiflora

6-8 in.....	5c
8-10 in.	10c
10-12 in.....	12c

Aucuba

Golddust Aucuba (Aucuba Japonica Variegata) (C)

6-8 in.....	10c
8-10 in.	15c

Boxwood (Buxus)

Common Box (B. Sempervirens) (C)

4-6 in.....	5c
6-8 in.	7½c

Truedwarf Box (Sempervirens Suffruticosa) (C)

4-6 in.....	7c
6-8 in.....	10c

Cape Jasmine (Gardenia Florida) (C)

6-8 in.....	7c
8-10 in.	10c

Eleagnus

Eleagnus Fruitlandi (C)

4-6 in.....	10c
6-8 in.....	12c
8-10 in.	15c

Eleagnus Bronze (E. Pungens Reflexa) (C)

4-6 in.....	8c
6-8 in.....	10c
8-10 in.	12c

Eleagnus Bronze (E. Pungens Reflexa) (S)

2-4 in.....	3c
4-6 in.....	5c
6-8 in.....	7c

Euonymus

Euonymus Patens (C)

6-8 in.....	8c
8-10 in.	10c

Evergreen Burning Bush (E. Japonicus) (C)

6-8 in.....	7c
8-10 in.	10c

Holly (Ilex)

English Holly (I. Aquifolium) (S)

4-6 in.....	3c
6-8 in.....	5c
8-10 in.....	7c

Yaupon Holly (I. Vomitoria) (S)

4-6 in.....	5c
6-8 in.....	7c
8-10 in.	10c

Illicium

Japanese Anisetree (I. Anisatum) (S)

4-6 in.....	5c
6-8 in.....	10c

Lonicera Nitida (C)

2-4 in.....	8c
4-6 in.....	10c

Magnolia Grandiflora (S)

4-6 in.....	5c
6-8 in.	7½c

Mahonia

Oregon Hollygrape (M. Aquifolium) (S)

2-4 in.....	5c
4-6 in.....	8c

Leatherleaf Hollygrape (M. Bealei) (S)

2-4 in.....	5c
4-6 in.....	8c

Japanese Spurge (Pachysandra Terminalis) (C)

6-8 in.....	10c
-------------	-----

Laurel (Laurocerasus)

Cherry Laurel (Laurocerasus Carolinana) (S)

6-8 in.....	3c
8-12 in.....	5c
12-15 in.	7c

English Cherry Laurel (L. Officinalis) (C)

6-8 in.....	15c
8-12 in.	20c

Cotoneaster

Rock Cotoneaster (C. Horizontalis) (C)

4-6 in.....	8c
6-8 in.....	10c
8-10 in.	12c

Pannosa Cotoneaster (S)

2-4 in.....	5c
4-6 in.....	7c

Van Chilli Cotoneaster (C)

6-8 in.....	10c
8-10 in.	12c
10-12 in.	15c

Nandina (Nandina Domestica) (S)

2-4 in.....	5c
4-6 in.....	8c
6-8 in.....	12c

Osmanthus (Tea Olive)

Sweet Tea Olive (O. Fragrans) (C)

4-6 in.....	25c
6-8 in.....	30c

Photinia

Low Photinia (P. Surrulata)

2-4 in.....	5c
4-6 in.....	8c
6-7 in.....	12c

Pittosporum Tobira (C)

2-4 in.....	5c
4-6 in.....	7c

Privets (Ligustrum Japonicum) (S)

4-6 in.	1½c
6-8 in.....	3c
8-12 in.....	4c

Nepal Privet (L. Nepalense) (C)

4-6 in.....	5c
6-8 in.	7½c
8-12 in.	10c

Chinese Privet (L. Amurense) (S)

6-8 in.....	2c
8-12 in.....	3c
12-16 in.	5c

Glossy Privet (L. Lucidum) (C)

3-4 in.....	3c
4-6 in.....	5c
6-8 in.....	8c
8-10 in.	10c

Gold Leaf Privet (*L. Marginatum Aureum*) (C)

6-10 in.	15c
10-15 in.	20c
15-18 in.	25c

Golden Privet Variegated (C)

4-6 in.	7½c
6-8 in.	10c
8-10 in.	12½c

Pyracantha (Firethorns)**Laland Firethorn (*P. Coccinea Lalandi*) (C)**

6-8 in.	10c
8-12 in.	12c

Yunnanensis Firethorn (*P. Crenulata Yunnanensis*) (C)

6-8 in.	10c
8-12 in.	12c

Raphiolepis Japonica (S)

4-6 in.	5c
6-8 in.	8c

Sargents Barberry (*Sargentia Berberis*) (C)

4-6 in.	8c
6-8 in.	10c
8-10 in.	12c

Tea Plant (*Thea*)**Bohea Tea Plant (*T. Sinensis Bohea*) (S)**

6-8 in.	5c
8-10 in.	7½c

Viburnum**Laurustinus (*V. Tinus*) (C)**

4-6 in.	8c
6-8 in.	10c

Decidious Shrubs and Plants**Althea (*Hibiscus*) (C)****Shrub-Althea (*A. Syringea*)****Double Pink, White, Purple and Red**

6-8 in.	3c
8-10 in.	5c

Shrub Althea, Single White

6-8 in.	3c
8-10 in.	5c

Barberry (*Berberis*)**Japanese Barberry (*B. Thunbergi*) (S)**

6-8 in.	1c
8-10 in.	2c

Purple Barberry (<i>B. Vulgaris Atro Purpurea</i>) (C)	
4-6 in.....	10c
6-8 in.....	12c
Red Leaf Barberry (<i>B. Thunbergi Atro Purpurea</i>) (C)	
4-6 in.....	6c
6-8 in.....	7c
8-10 in.	10c
Beautyberry (<i>Callicarpa</i>)	
American Beautyberry (<i>C. Americana</i>) (S)	
6-8 in.....	2c
8-10 in.....	3c
Broom (<i>Cytisus</i>)	
Scotch Broom (<i>C. Scoparius</i>) (S)	
6-8 in.....	2c
8-10 in.....	3c
Bushclover (<i>Lespedeza</i>)	
Shrub-Bushclover (<i>L. Bicolor</i>) (S)	
6-8 in.....	2c
8-10 in.....	3c
10-12 in.	5c
Chaste-Tree (<i>Vitex</i>)	
Lilac Chaste-Tree (<i>V. Agnus-Catus</i>) (S)	
6-8 in.....	3c
8-10 in.....	5c
Christmas Honeysuckle (<i>Lonicera Fragrantissima</i>) (C)	
6-8 in.....	6c
8-10 in.....	8c
10-12 in.	10c
Crab Apple (<i>Malus</i>)	
Wild Sweet Crab (<i>M. Coronaria</i>) (S)	
4-6 in.....	5c
6-8 in.....	7c
8-10 in.	10c
Crape Myrtle (<i>Lagerstroemia</i>)	
Crape Myrtle, Pink, Red, Purple, White	
8-10 in.	10c
10-12 in.	15c
12-15 in.	17c
Deutzia	
Double White Deutzia	
(<i>D. Crenata Flora Plena Alba</i>) (C)	
10-12 in.	7c
12-15 in.	10c

Slender Deutzia (*D. Gracilis*) (C)

4-6 in.....	7c
6-8 in.....	10c

Pride of Rochester (*D. Scabra*) (C)

8-10 in.....	7c
10-15 in.	10c

Flowering Quince (*Cydonia Japonica*) (S)

6-8 in.....	5c
8-12 in.	7½c

Forsythia (Golden Bell)

Fortune Forsythia (*F. Suspensa Fortunei*) (C)

8-12 in.....	2c
12-15 in.....	2½c

Greenstem Forsythia (*F. Viridissima*) (C)

8-12 in.....	2c
12-15 in.....	2½c

Hydrangea

Peegee Hydrangea (*H. Paniculata Grandiflora*) (C)

4-6 in.....	6c
6-8 in.....	8c
8-10 in.	10c

St. Johnswort (*Hypericum*)

Goldflower (*H. Moserianum*) (C)

6-8 in.	7½c
8-10 in.	10c

Japanese Hypericum *H. Patulum* (C)

4-6 in.....	3c
6-8 in.....	5c
8-10 in.....	7c

Jasmine (*Jasminum*)

Italian Jasmine (*J. Humile*) (C)

6-8 in.....	5c
8-10 in.....	7c

Jetbead (*Rhodotypos*)

Jetbead (*R. Kerriodes*) (S)

6-8 in.....	3c
8-12 in.....	5c

Pearlbush (*Exochorda*)

Pearlbush (*E. Grandiflora*) (S)

8-10 in.....	3c
12-15 in.	5c

Pussy Willow (*Salix Caprea*) (S)

8-10 in.....	2c
12-14 in.	3c

Red Bud (Cercis)

Dward Red Bud (C. Chinensis and Canadensis) (S)

4-6 in.....	5c
6-8 in.....	7c
8-10 in.	10c

Spirea (Spiraea) (C)

Anthony Waterer Spirea

4-6 in.....	6c
6-8 in.....	8c

Reeves Spirea (S. Reevesiana)

8-10 in.....	5c
10-15 in.	7c

Thunbergi Spirea (S. Thunbergi)

4-6 in.....	6c
6-8 in.....	8c

Van Houtte Spirea (S. Van Houttei)

8-10 in.....	2c
10-12 in.	3c
12-15 in.	5c

Sweet Shrub (Calycanthus) (S)

6-8 in.....	3c
8-10 in.....	5c
10-12 in.	7c

Tamarix

African Tamarix (C)

10-12 in.	6c
12-15 in.	10c

Weigelia (C)

Pink Weigelia (W. Rosea)

8-10 in.....	3c
10-15 in.	5c

Snow Weigelia (W. Candida)

8-10 in.....	3c
10-15 in.	5c

Eva Rathka

8-10 in.....	5c
10-15 in.	7c

Chinaberry (Melia) (B)

Texas Umbrella Tree (M. a. Umbraculiformis)

8-10 in.....	2c
12-15 in.	3c

Dogwood (Cornus)

White Dogwood (C. Florida) (C)

6-8 in.....	2c
10-12 in.	3c

Pink Dogwood (C. Florida Rubra) (B)

2-4 in.....	25c
4-6 in.....	30c
6-8 in.....	40c

Elm (Ulmus) (S)

American Elm (U. Americana)

8-10 in.....	2c
12-15 in.	3c

Chinese Elm (U. Pumila)

8-10 in.....	2c
12-15 in.	3c

Golden Rain Tree (Koelreuteria Paniculata) (S)

8-10 in.....	7c
10-15 in.	10c

Hackberry (Celtis) (G)

Sugarberry (C. Mississippensis)

8-10 in.....	2c
10-12 in.	3c
12-15 in.	4c

Maidenhair Tree (Ginkgo Biloba) (S)

6-8 in.....	5c
8-10 in.....	7c
10-12 in.	10c

Maple (Acer)

Silver Maple (A. Dasycarpum) (C)

6-8 in.....	2c
10-12 in.	3c

Bloodleaf Japanese Maple

(A. Palmatum Atropurpureum) (G)

6-8 in.....	40c
-------------	-----

Oak (Quercus)(S)

Acuta Oak (Evergreen Small Tree)

8-12 in.....	3c
--------------	----

Pin Oak (Q. Palustris)

4-6 in.....	2c
8-10 in.....	3c

Scarlet Oak (Q. Concinea)

4-6 in.....	2c
8-10 in.....	3c

Water Oak (Q. Nigra)

6-8 in.	1½c
8-10 in.	2c

Willow Oak (Q. Phellos)

6-8 in.	1½c
8-10 in.	2c

Red Bud (Cercis)

American Red Bud (C. Canadensis) (S)

6-8 in.	3c
8-10 in.	5c
10-14 in.	7c

Willow (Salix)

Weeping Willow (S. Babylonica) (C)

8-10 in.	2c
12-15 in.	3c

Vines

Wintercreeper (Euonymus Radicans) (C)

6-8 in.	6c
8-12 in.	8c

Variegated Wintercreeper (E. Radicans Variegata) (C)

6-8 in.	6c
8-10 in.	8c

Ivy (Hedera)

Boston Ivy (Ampelopsis Vetchii) (S)

6-8 in.	1c
8-12 in.	2c

English Ivy (H. Helix) (C)

8-10 in.	5c
10-12 in.	8c

Clematis

Sweet Autumn Clematis (C. Paniculata) (S)

4-6 in.	3c
6-8 in.	5c

Bignonia Radicans (C)

8-10 in.	6c
10-12 in.	8c

Jessamine (Gelsemium)

Jasminum Primulinum (Primrose Jasmine) (S)

6-8 in.	5c
8-10 in.	8c

